



Hebei Huazheng Heavy Industry Machinery and Equipment Co., Ltd.

Address: Jingxiu District, Baoding City, Hebei Province, China

Tel: +86 19912176362、+86 13383260970、+86 17772529602

E-mail: sales05@hzheavy.com、sales06@hzheavy.com、sales07@hzheavy.com

Electric Stacker Series

Warehouse Material Handling Solutions


HZHI[®]




Hebei Huazheng Heavy Industry Machinery and Equipment Co., Ltd.

Pursue Excellent Quality Create a World-Class Brand

Table of Contents



About Us	-----	3
Our Strengths	-----	5
Electric Stacker	-----	7
Large Forward Reach	-----	15



SEALER



Hebei Huazheng Heavy Industry Machinery Co., Ltd. is based in Baoding, Hebei Province – a key production hub for China's material handling industry.

Hebei Huazheng Heavy Industry Machinery Co., Ltd.

As a subsidiary of Huazheng Group, we draw on the Group's extensive global market expertise and customer network, with products exported to countries and regions across the world.

We believe our value is twofold:

a risk buffer for manufacturers,
and a professional link for material handling clients.



30 Years of International Trade Expertise

Built a professional global marketing network and efficient supply chain integration system.

Possess robust international trade compliance capabilities and a complete global after-sales service system.

Deeply rooted in the complex, high-value heavy machinery sector, delivering sustained core value




Mature Supply Chain Management Capabilities

Deeply engaged in full industrial chain collaboration, far exceeding simple supply-demand matching.

Leveraging the cluster advantages of Hebei's "One Zone, Multiple Parks" layout, we innovate the Shared Intelligent Manufacturing model.

Providing customers with stable, efficient and low-risk supply chain assurance



Market Insight Resource Enablement

Delivering all-round support to China's high-quality manufacturers in the material handling sector
International market trend analysis

Marketing system development
Service capability upgrading
Empowering enterprises to seize growth opportunities in segmented fields including intelligent lifting equipment, new energy forklifts and explosion-proof equipment

Core Business

We focus on the R&D, manufacturing and sales of material handling equipment, with product applications covering full scenarios such as industrial manufacturing and logistics & warehousing.

Supported by the Group's financial strength, global marketing network and technical platform, we have become a key enterprise in the lifting and transportation machinery industry.

ABOUT US

Our Strengths

■ Founder Profile—David

- Hebei Huazheng Heavy Industry Machinery Equipment Co., Ltd.—**Chairman**
- Baoding Huazheng Electric Manufacturing Co., Ltd.—**Chairman**
- Beijing Huazheng Technology Co., Ltd.—**Chairman**
- Hebei Huanhai Import & Export Trading Co., Ltd.—**Chairman**
- Hebei Xiong'an Jianweixing Enterprise Management Partnership (Limited Partnership)—**Executive Partner**
- Baoding Wujie Yungu Venture Incubator Service Co., Ltd.—**Chairman**
- Baoding Baozhou E-Commerce Chamber of Commerce—**Co-Founder & President**
- The 6th Alibaba Chenggong Camp—**Camp Commander**
- Alibaba—**Gold Medal Lecturer**
- Expert in Foreign Trade Enterprise Transformation
- 13 Years of Practical Experience in Cross-Border Business



Certificates



Brand Honors & Our Credentials



CERTIFICATE | CERTIFICAT | CERTIFIKAT | CERTIFICATO | 証明書 | 인증서입니다


**Beide**
Compliance Laboratory

VERIFICATION OF CONFORMITY
Certificate No.: B-S02371E3188
Client ID: GP2768

Holder.....: Huazheng Heavy Industry Machinery Equipment Co., Ltd.
Address.....: Room 423-101, Building C-4, Electronics Valley Technology Center, No. 3088 Lekai North Street, Gaokai District, Baoding City, Hebei Province
Manufacturer.....: Huazheng Heavy Industry Machinery Equipment Co., Ltd.
Address.....: Room 423-101, Building C-4, Electronics Valley Technology Center, No. 3088 Lekai North Street, Gaokai District, Baoding City, Hebei Province
Product.....: Electric Stacker
Model No.....: See Attachment
Technical Data.....: 48V, 34Ah
Verification to.....: European Directive(s): Machinery Directive 2006/42/EC
EN ISO 12100:2010
EN 60204-1:2018

The test results apply only to the particular sample tested and to the specific tests carried out. Technical Report and documentation are at the Holder's disposal. This certificate applies specifically to the sample investigated in our test reference number only. The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation. Other relevant Directives have to be observed.

Date of issue: 2026-04-03
Expiry date: 2029-04-03



Beide (Shenzhen) Product Service Limited
Address: 6F, Bldg E, Hounu 3rd Ind Zone, Xixiang, Bao'an Dist, Shenzhen, China
E-mail: admin@beide.com Phone: +86 0755 27454498 www.beide.com

PRODUCT CENTER

Electric Stacker



01

Six Core Selling Points



Dual Lifting Design



Durable Power System



Heavy-duty Frame



Precise Stable Control



Flexible Aisle Access



Flexible Customization

HZCDDH

Electric Stacker

Electric lifting, labor-saving operation. Ideal for material handling in narrow warehouse and workshop areas.

- Electric
- Lift Fork
- Heavy-Duty Steel
- Customizable



HZCDDB

Dual-lifting Electric Stacker

The dual-lifting structure ensures efficient handling and obstacle crossing, enabling productive stacking in narrow aisles.

- Electric
- Lift Fork
- Heavy-Duty Steel
- Customizable



SPECIFICATIONS

Model	HZCDDH	Rated Load Capacity	1500/2000kg
Lifting Height (mm)	1600-4500	Free Lift Height (mm)	200
Lowered Height (mm)	1500-2230	Overall Length (mm)	1850
Overall Width (mm)	825	Fork Dimensions (mm)	60×170×1150
Battery	Lead-Acid Battery: 48V/32Ah ; Lithium Battery: 48V/30Ah		
Applicable scenarios	Warehouse Stacking, Workshop & DC Handling, Retail Restocking		

SPECIFICATIONS

Model	HZCDDB	Rated Load Capacity	1500-2000 kg
Lifting Height (mm)	1600-3500	Free Lift Height (mm)	200
Lowered Height (mm)	1500-2230	Overall Length (mm)	1850
Overall Width (mm)	825	Fork Dimensions (mm)	60×170×1150
Chassis Lifting Height (mm)	100	Battery	Lead-Acid Battery: 72V/140Ah Lithium Battery: 80V/230Ah
Applicable scenarios	Warehouse Stacking, Workshop & DC Handling, Retail Restocking		

HZCDDS

Arm-protected Dual-lifting Stacker

Anti-collision arms enhance safety, while dual-lifting design enables efficient handling for multi-scenario compact warehouse operations.

- Electric
- Lift Fork
- Heavy-Duty Steel
- Customizable



HZCDD

Anti-tipping Stacker

Featuring anti-tipping design and compact turning radius, ideal for narrow aisles & high-bay stacking.

- Electric
- Lift Fork
- Heavy-Duty Steel
- Customizable



SPECIFICATIONS

Model	HZCDDS	Rated Load Capacity	1500/2000kg
Lifting Height (mm)	2000-3500	Free Lift Height (mm)	200
Lowered Height (mm)	1500-2250	Overall Length (mm)	1950
Overall Width (mm)	895	Fork Dimensions (mm)	60×190×1150
Chassis Lifting Height (mm)	100	Battery	Lead-Acid Battery: 48V/32Ah Lithium Battery: 48V/30Ah
Applicable scenarios	Warehouse Stacking, Workshop & DC Handling, Retail Restocking		

SPECIFICATIONS

Model	HZCDD	Rated Load Capacity	1500-2000 kg
Lifting Height (mm)	4500	Free Lift Height (mm)	200
Lowered Height (mm)	2020	Overall Length (mm)	1950
Overall Width (mm)	950	Fork Dimensions (mm)	60×160×1150
Battery	Lead-Acid Battery: 48V/32Ah ; Lithium Battery: 48V/30Ah		
Applicable scenarios	Warehouse Stacking, Workshop & DC Handling, Retail Restocking		

HZCDDHW

Wide-leg Stacker

Wide legs fit various pallets. Anti-tipping and stable, it handles wide loads flexibly for safer warehouse operations.

- Electric
- Lift Fork
- Heavy-Duty Steel
- Customizable



HZA

Legless Stacker

No external legs for universal pallet compatibility. Compact and agile for narrow aisles, higher stacking efficiency.

- Electric
- Lift Fork
- Heavy-Duty Steel
- Customizable



SPECIFICATIONS

Model	HZCDDHW	Rated Load Capacity	1500/2000kg
Lifting Height (mm)	3000	Free Lift Height (mm)	200
Lowered Height (mm)	2000	Overall Length (mm)	1850
Overall Width (mm)	1600	Fork Dimensions (mm)	35×100×1070
Battery	Lead-Acid Battery: 48V/32Ah Lithium Battery: 48V/30Ah		
Applicable scenarios	Warehouse Stacking, Workshop & DC Handling, Retail Restocking		

SPECIFICATIONS

Model	HZA	Rated Load Capacity	1000 kg
Lifting Height (mm)	3000	Working Height (mm)	3460
Lowered Height (mm)	2100	Overall Length (mm)	2670
Overall Width (mm)	1070	Fork Dimensions (mm)	40×122×1070
Battery	Lead-Acid Battery: 48V/45Ah		
Applicable scenarios	Warehouse Stacking, Workshop & DC Handling, Retail Restocking		

PRODUCT CENTER

Heavy-Duty Reach Truck



02

Six Core Selling Points

- | | |
|---|--|
|  Narrow Aisle Agility |  Eco-Friendly Power |
|  Heavy-duty Frame |  High-Lift Performance |
|  Versatile Compatibility |  Flexible Customization |

HZCQD

Large Forward Reach

Forward-reach mast suits narrow aisles. High-lift design enables efficient stacking. Safe and reliable for warehouse operations.

- Electric
- Lift Fork
- Heavy-Duty Steel
- Customizable



HZCQDZM

Three-way Stacker

Three-way handling without truck turning. Efficient stacking in narrow aisles for higher space utilization.

- Electric
- Lift Fork
- Heavy-Duty Steel
- Customizable



SPECIFICATIONS

Model	HZCQD	Rated Load Capacity	2000kg
Lifting Height (mm)	3000	Minimum Turning Radius (mm)	1836
Lowered Height (mm)	2900	Overall Length (mm)	2407
Overall Width (mm)	1098	Fork Dimensions (mm)	40×122×1070
Battery	Lead-Acid Battery: 60V/280Ah		
Applicable scenarios	Warehouse Stacking, Workshop & DC Handling, Retail Restocking		

SPECIFICATIONS

Model	HZCQDZM	Rated Load Capacity	2000kg
Lifting Height (mm)	5000	Minimum Turning Radius (mm)	1820
Lowered Height (mm)	2850	Overall Length (mm)	3870
Overall Width (mm)	1510	Fork Dimensions (mm)	40×120×1220
Battery	Lead-Acid Battery: 48V/400Ah		
Applicable scenarios	Warehouse Stacking, Workshop & DC Handling, Retail Restocking		